

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|---------------------|
| S1 | 30 | RNDIS and @ad<"20031113" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 15:50 |
| S4 | 4 | @ad<"20031113" and (CDC near2 Ethernet) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 15:52 |
| S5 | 1 | @ad<"20031113" and (CDC near2 Ethernet) and RNDIS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 15:52 |
| S6 | 35 | @ad<"20031113" and ("universal serial bus" or USB) and configuration and "network adaptor" and request and host | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 17:00 |
| S7 | 39 | @ad<"20031113" and ("universal serial bus" or USB) and configuration and "network adaptor" and host | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 18:44 |
| S8 | 10249 | @ad<"20031113" and ("universal serial bus" or USB) and configuration and host | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 18:45 |
| S9 | 78 | @ad<"20031113" and ("universal serial bus" or USB) and ("multiple configuration") and determine and host | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 18:45 |
| S10 | 19 | @ad<"20031113" and ("universal serial bus" or USB) and ("multiple configuration") and (host near7 determine) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 18:50 |

| | | | | | | |
|-----|----|--|---|-----|----|---------------------|
| S11 | 31 | @ad< "20031113" and ("universal serial bus" or USB) and ("multiple configuration") and ((host or server) near7 determine) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 18:55 |
| S12 | 53 | @ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 determine) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 18:58 |
| S13 | 1 | @ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 "network adaptor") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 19:14 |
| S14 | 1 | @ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration" or "send configuration") and ((host or server) near7 "network adaptor") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 19:17 |
| S15 | 1 | @ad< "20031113" and ("universal serial bus" or USB) and ("sends configuration" or "send configuration") and ((host or server) with "network adaptor") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 19:17 |
| S16 | 2 | @ad< "20031113" and ("sends configuration" or "send configuration") and ((host or server) with "network adaptor") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 19:17 |
| S17 | 2 | @ad< "20031113" and (("sends configuration" or "send configuration") with (host or server)) and "network adaptor" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 19:21 |
| S18 | 8 | @ad< "20031113" and (("sends configuration" or "send configuration") and (host or server)) and "network adaptor" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 19:22 |
| S20 | 10 | @ad< "20031113" and ("network adaptor" with determine) and active | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/02 19:29 |

| | | | | | | |
|-----|--------|---|---|-----|----|---------------------|
| S23 | 2 | @ad<"20031113" and (((receive adj2 request) and from) and (host or server)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 10:02 |
| S25 | 145028 | @ad<"20031113" and receive and request and (host or server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 10:06 |
| S26 | 933 | @ad<"20031113" and receive and request and (host or server) and 709/250.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 10:06 |
| S27 | 676 | @ad<"20031113" and receive and request and (host or server) and 709/250.ccls. and configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 10:07 |
| S28 | 8 | @ad<"20031113" and receive and request and (host or server) and 709/250.ccls. and "sends configuration" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 10:07 |
| S29 | 274 | @ad<"20031113" and receive and request and (host or server) and "709"/.ccls. and "sends configuration" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 10:08 |
| S30 | 11 | @ad<"20031113" and receive and request and (host or server) and "709"/.ccls. and "sends configuration" and "multiple configuration" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 10:09 |
| S32 | 5 | @ad<"20031113" and receive and request and (host or server) and "709"/.ccls. and "sends configuration" and "network adaptor" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 10:52 |
| S33 | 5 | @ad<"20031113" and ("universal serial bus" or USB) and ("sends configuration") and ((host or server) near7 determine) and (parse or parsing) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 18:42 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S34 | 438 | @ad< "20031113" and ("universal serial bus" or USB) and ((host or server) near7 determine) and (parse or parsing) and select | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 19:34 |
| S35 | 403 | @ad< "20031113" and ("universal serial bus" or USB) and ((host or server) near7 determine) and (parse or parsing) and select and configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 19:34 |
| S39 | 120 | @ad< "20031113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and select and configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 19:37 |
| S40 | 99 | @ad< "20021113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and select and configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 19:37 |
| S41 | 1 | @ad< "20021113" and ("universal serial bus" or USB) and (host or server) and (((parse or parsing) adj4 determine) adj4 configuration) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 19:43 |
| S42 | 1 | @ad< "20031113" and ("universal serial bus" or USB) and (host or server) and (((parse or parsing) adj4 determine) adj4 configuration) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 19:43 |
| S43 | 2 | @ad< "20031113" and ("universal serial bus" or USB) and (host or server) and ((parse or parsing) adj4 determine) and configuration and (RNDIS or NDIS or CDC-Ethernet) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/03 19:46 |
| S45 | 1 | @ad< "20031113" and ("universal serial bus" or USB) and (host or server) and (("network adaptor" or "network adapter") adj7 active) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/04 11:03 |
| S46 | 33 | @ad< "20031113" and (host or server) and (("network adaptor" or "network adapter") adj7 active) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/04 11:05 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S47 | 2 | "6681244".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/04 12:49 |
| S49 | 2 | "20060039290" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/04 12:57 |
| S50 | 113 | @ad< "20031113" and (("network adapter" or "network adaptor") adj4 ("enable" or "disable" or "activate")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 10:03 |
| S51 | 1 | "60426349" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 12:46 |
| S54 | 26 | @ad< "20021115" and rndis | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 14:33 |
| S56 | 79 | @ad< "20021115" and cdc and ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 14:33 |
| S59 | 25 | @ad< "20021115" and belcarra | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 14:34 |
| S61 | 181 | cdc and ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 16:19 |
| S62 | 3 | cdc and ethernet and rndis | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 16:19 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S64 | 79 | @ad< "20021115" and cdc and ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 17:43 |
| S65 | 32 | @ad< "20021115" and cdc and ethernet and network and (adapter or adaptor) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 17:45 |
| S66 | 2 | "6532497".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 20:29 |
| S67 | 1389 | @ad< "20021115" and ((adapter or adaptor) with (activate or disable)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 20:45 |
| S68 | 6 | @ad< "20021115" and (network adj2 ((adapter or adaptor) with (activate or disable))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/07 20:45 |
| S69 | 17 | @ad< "20021115" and "network adapter" and "multiple configurations" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/08 15:01 |
| S70 | 127 | @ad< "20021115" and "network adapter" and "multiple protocols" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/08 15:01 |
| S71 | 144 | S69 or S70 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/08 15:02 |
| S72 | 46 | @ad< "20021115" and "automatic configuration" and "network adapter" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/08 17:26 |

| | | | | | | |
|-----|----------|---------------------------------|---|-----|----|---------------------|
| S74 | 75 | "08/942311" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/08 18:18 |
| S77 | 2 | "6170028".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/01/08 18:32 |
| S78 | 27594693 | @ad< "20031113" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/23 23:30 |
| S79 | 26187906 | ((@rlad @ad)< "20021115" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:31 |
| S80 | 118139 | ("universal serial bus" or USB) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/23 23:33 |
| S81 | 94 | rndis | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/23 23:33 |
| S82 | 2 | cdc-ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/23 23:34 |
| S83 | 3 | "cdc ethernet" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/23 23:34 |
| S84 | 19519 | host same adapter | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:35 |

| | | | | | | |
|-----|-------|--|---|----|----|---------------------|
| S85 | 4526 | host same adaptor | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:35 |
| S86 | 22967 | S84 S85 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:35 |
| S87 | 1560 | (plurality multiple "more than one" "more than 1") same configuration same S80 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:37 |
| S88 | 2 | S87 same S85 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:37 |
| S89 | 94 | S81 S82 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:37 |
| S90 | 0 | S88 and S89 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:38 |
| S91 | 34 | S89 and S79 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:38 |
| S92 | 642 | S87 and S79 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:39 |
| S93 | 210 | (plurality multiple "more than one" "more than 1") with configuration with S80 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:40 |

| | | | | | | |
|------|----------|--|---|-----|----|---------------------|
| S94 | 96 | S93 and S79 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/23 23:40 |
| S95 | 26187906 | ((@rlad @ad)<"20021115" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:13 |
| S96 | 118139 | ("universal serial bus" or USB) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/24 13:13 |
| S97 | 210 | (plurality multiple "more than one" "more than 1") with configuration with S96 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:13 |
| S98 | 96 | S97 and S95 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:13 |
| S99 | 96 | S98 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:13 |
| S100 | 96 | S98 and S95 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:20 |
| S101 | 25849970 | @ad<"20021115" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/09/24 13:21 |
| S102 | 36005 | ((plurality multiple) adj3 configurations) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:28 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S103 | 113 | S102 same (usb "universal serial bus") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:29 |
| S104 | 7 | S103 same request | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:29 |
| S105 | 762 | host same request same first same second same configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:32 |
| S106 | 107 | host same request same first same second same configuration same usb | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:33 |
| S107 | 0 | host same "first request" same "second requet" same configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:37 |
| S108 | 0 | host same "first request" same "second requet" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:37 |
| S109 | 199 | host same "first request" same "second request" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:37 |
| S110 | 12 | host same "first request" same "second request" same configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:38 |
| S111 | 1 | determin\$6 with (multiple plurality) with of | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:46 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S112 | 2806 | (determin\$6 detect\$6) with (multiple plurality) with second with request | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:47 |
| S113 | 124 | (determin\$6 detect\$6) with (multiple plurality) with "second request" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:48 |
| S114 | 322 | (determin\$6 detect\$6) same (multiple plurality) same "second request" same "first request" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:53 |
| S115 | 352 | (determin\$6 detect\$6) same (multiple plurality again another "more than one") same "second request" same "first request" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:53 |
| S116 | 21 | (determin\$6 detect\$6) same (multiple plurality again another "more than one") same "second request" same "first request" same host | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 13:54 |
| S117 | 21 | (determin\$6 detect\$6) same (multiple plurality again another "more than one") "capable of more than") same "second request" same "first request" same host | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:08 |
| S118 | 1870 | (multiple plurality again another "more than one") "capable of more than") same "second request" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:09 |
| S119 | 242 | (multiple plurality again another "more than one") "capable of more than") same "second request" same sending | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:09 |
| S120 | 220 | (multiple plurality another "more than one" "capable of more than") same "second request" same sending | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:10 |

| | | | | | | |
|------|-------|---|---|----|----|---------------------|
| S121 | 158 | (multiple plurality another "more than one" "capable of more than") same "second request" same sending same "first request" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:10 |
| S122 | 80 | (multiple plurality another "more than one" "capable of more than") same "second request" same sending same "first request" same (host client server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:11 |
| S123 | 15 | (multiple plurality another "more than one" "capable of more than") same "second request" same sending same "first request" same configur \$6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:11 |
| S124 | 88 | S122 or S123 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:11 |
| S125 | 28 | (indicat\$6 adj5 (multiple plurality again another "more than one" "capable of more than")) same "second request" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:15 |
| S126 | 12 | (indicat\$6 adj5 (multiple plurality again another "more than one" "capable of more than")) same "second request" same response | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:16 |
| S127 | 37567 | network adj2 (adapter adaptor) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:18 |
| S128 | 15518 | multiple adj2 configurations | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:18 |
| S129 | 33 | "capable of" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:18 |

| | | | | | | |
|------|-------|---|---|----|----|---------------------|
| S130 | 11 | S127 same S128 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:19 |
| S131 | 2 | S127 same S128 same usb | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:20 |
| S132 | 15518 | multiple adj2 configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:21 |
| S133 | 49 | S132 same usb | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:21 |
| S134 | 38 | indicat\$6 adj7 multiple adj2 configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:40 |
| S135 | 5 | (detect determine) adj7 usb adj2 configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 14:53 |
| S136 | 1 | S135 and pars\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:07 |
| S137 | 1511 | (multiple plurality another "more than one" "capable of") same configuration same usb | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:09 |
| S138 | 226 | (multiple plurality another "more than one" "capable of") same configuration same usb same (determine detect indicat \$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:09 |

| | | | | | | |
|------|---------|--|---|----|----|---------------------|
| S139 | 5056540 | (asks request inquir\$2) with (second again multiple) with (when if) (multiple "more than" additional) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:19 |
| S140 | 391948 | S139 and host | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:19 |
| S141 | 63921 | S139 with host | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:19 |
| S142 | 1706 | S139 with host with configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:20 |
| S143 | 42 | S142 with usb | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:20 |
| S144 | 5056541 | (asks request inquir\$2) with (second again multiple more) with (when if) (multiple "more than" additional) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:22 |
| S145 | 0 | (asks request inquir\$2) with (second again multiple more) with (when if) with (multiple "more than" additional) with configurations | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:24 |
| S146 | 7 | (asks request inquir\$2) with (second again multiple more) with (when if) with (multiple "more than" additional) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:24 |
| S147 | 46437 | (asks request inquir\$2) with (second again multiple more) with (multiple "more than" additional) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:28 |

| | | | | | | |
|------|----------|--|---|-----|-----|---------------------|
| S148 | 889 | (asks request inquir\$2) with (second again multiple more) with (multiple "more than" additional) with configurations | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:28 |
| S149 | 2 | (asks request inquir\$2) with (second again multiple more) with (multiple "more than" additional) with configurations with usb | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:28 |
| S150 | 889 | (asks request inquir\$2) with (second again multiple more) with (multiple "more than" additional) with configurations | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:28 |
| S151 | 6 | "second request" with (multiple "more than" additional) with configurations | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:31 |
| S152 | 31 | continues with request\$3 with until with configurations | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/24 15:34 |
| S153 | 97 | "GET_DESCRIPTOR" | US-PGPUB; USPAT | OR | OFF | 2009/02/06 18:12 |
| S154 | 1 | second with "GET_DESCRIPTOR" | US-PGPUB; USPAT | OR | OFF | 2009/02/06 18:12 |
| S155 | 27607975 | @ad< "20031113" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/02/06 18:13 |
| S156 | 17 | S155 and S153 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/02/06 18:13 |
| S157 | 27628933 | @ad< "20031113" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 13:09 |

| | | | | | | |
|------|-----|---------------------------------------|---|-----|----|---------------------|
| S158 | 0 | "network adapter" same (NDIS CDC) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 13:10 |
| S159 | 131 | "network adapter" same (NDIS CDC) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:10 |
| S160 | 0 | "network adapter" same (NDIS and CDC) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:10 |
| S161 | 69 | "network adapter" with (NDIS CDC) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:10 |
| S162 | 39 | S161 and S157 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:11 |
| S163 | 1 | "non-NDIS" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:22 |
| S164 | 3 | NDIS with incompatible | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:22 |
| S165 | 23 | rndis with usb | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:25 |
| S166 | 6 | S157 and S165 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:25 |

| | | | | | | |
|------|----------|---|---|-----|----|---------------------|
| S167 | 20 | usb with apple with IBM | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:26 |
| S168 | 15 | S157 and S167 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:26 |
| S169 | 0 | S157 and S167 and (rndis ndis) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:27 |
| S170 | 25865448 | @ad< "20021115" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 13:28 |
| S171 | 16239 | ndis | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 13:28 |
| S172 | 42 | ndis with usb | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 13:28 |
| S173 | 13 | S170 and S172 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 13:28 |
| S174 | 300 | network with adapter with flexibl\$6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 13:30 |
| S175 | 0 | network with (adapter adaptor) with flexibl\$6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 13:30 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S176 | 312 | network with (adapter adaptor) with flexibl\$6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:31 |
| S177 | 102 | S176 and S170 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:31 |
| S178 | 0 | S177 and ndis | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:31 |
| S179 | 0 | S176 and S170 and (CDC near2 ethernet) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:32 |
| S180 | 7 | S176 and S170 and usb | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:32 |
| S181 | 784 | usb with "network adapter" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:34 |
| S182 | 78 | usb with "network adaptor" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:34 |
| S183 | 860 | S181 S182 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:34 |
| S184 | 98 | S183 and S170 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:34 |

| | | | | | | |
|------|--------|--|---|----|----|---------------------|
| S185 | 286698 | (multiple plurality) with configurations | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:35 |
| S186 | 29 | S184 and S185 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:35 |
| S187 | 251 | host with select\$5 with (multiple plurality) with configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:44 |
| S188 | 108 | S170 and S187 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:44 |
| S189 | 24344 | "network adapter" "network adaptor" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:45 |
| S190 | 2 | S188 and S189 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:45 |
| S191 | 4 | host with select\$5 with (multiple plurality) with compatible with configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:46 |
| S192 | 4 | S191 and S170 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:46 |
| S193 | 0 | "host selects from" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:53 |

| | | | | | | |
|------|-----|--|---|-----|----|---------------------|
| S194 | 908 | "host selects" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:53 |
| S195 | 36 | "host selects" with configurations | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:54 |
| S196 | 19 | S195 and S170 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:54 |
| S197 | 3 | S195 and S170 and (usb ndis) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 13:54 |
| S198 | 274 | (multiple plurality) with (usb "universal serial bus") with configuration | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 14:01 |
| S199 | 36 | (multiple plurality) with (usb "universal serial bus") with configuration with (compatible incompatible supported) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 14:01 |
| S200 | 36 | (multiple plurality) with (usb "universal serial bus") with configuration with (compatible incompatible supported unsupported) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 14:01 |
| S201 | 5 | S200 and S170 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 14:02 |
| S202 | 0 | S172 and S174 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 14:19 |

| | | | | | | |
|------|-----|---|---|-----|----|---------------------|
| S203 | 13 | S172 and S170 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 14:19 |
| S204 | 66 | "network adapter" with ndis | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 14:21 |
| S205 | 353 | "network adapter" with pcmcia | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 14:21 |
| S206 | 784 | "network adapter" with usb | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/06 14:21 |
| S207 | 281 | (S204 and S205) (S204 and S206) (S205 and S206) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 14:22 |
| S208 | 10 | S170 and S207 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/06 14:22 |

10/ 6/ 2009 6:43:22 PM

C:\ Documents and Settings\rkeehn\ My Documents\ EAST\ Workspaces\ 10705909.wsp